




- 
- 62** SCREW-ON TIMBER POST HINGE SETS
 - 64** FASTAFIT™ BOLT-THRU TIMBER POST HINGE SET
 - 66** BOLT-THRU TIMBER POST HINGE SETS
 - 68** BOLT-THRU LOW-LOC TIMBER POST HINGE SET
 - 70** GATE STRAP & GUDGEON TIMBER POST HINGE SET
 - 72** BOLT-ON ADJUSTABLE ROUND STEEL POST HINGE SET
 - 74** WELD-ON/SCREW-ON TOP SADDLE BACKING PLATE
 - 75** WELD-ON U-TYPE HINGE SET
 - 76** WELD-ON HINGE SET
 - 77** CONCRETE POST HINGE SET




HINGES



HINGE SETS & LATCHES SOLD INDIVIDUALLY.

**BUILD YOUR PERFECT
GATE PACK IN-STORE!**

PICK ANY HINGE PICK ANY LATCH



EVERY GATE IS DIFFERENT.

JUST PAY FOR WHAT YOU NEED!


GUDGEON SCREWS FITTED BEHIND THE GATE MORE DIFFICULT TO REMOVE WHEN GATE ON

■ **TIMBER POST** | **GALVANISED**

! Use 10mm Auger
See pg. 135



20% STRONGER
M12 75MM
COACH SCREWS



SCREW-ON TIMBER POST HINGE SET




9 348326 005035

FG1

BUY BREAKS - 10+ | 25+ | 50+ | 100+

GATE - 25NB | POST - Any size

BOX QTY - 5



Non-tapered. Extra Secure.

Longest gudgeon 72mm.

SUITS GATES UP TO 12FT!



“ We love your Gudgeons on our new front gate hinges at Willow Tree. The ease of opening every day is a pleasure! ”


JAMES HUNTER

TIMBER POST | GALVANISED

! Use 10mm Auger
See pg. 135



20% STRONGER
M12 75MM
COACH SCREWS



12FT
SUITS GATES
UP TO 12FT

SCREW-ON TIMBER POST HINGE SET



9 348326 005226

FG4

BUY - 10+ | 25+ | 50+ | 100+

GATE - 25NB | POST - Any size

BOX QTY - 5



9 348326 005646



FG4R*

BUY - 10+ | 25+ | 50+ | 100+

GATE - 25NB | POST - Any size

BOX QTY - 5

*Radius Saddle



NEW AND IMPROVED!

SLEEK FIT

Radius saddle providing a **smooth and sleek fit** for round posts.

COACH SCREWS

M12 75mm coach screws.
20% stronger.

FITTED BEHIND GATE

Screws are behind the gate making it more difficult for gate to be removed once sitting on.



MOST PREMIUM, USER FRIENDLY GATE HINGE



SCAN
TO
WATCH

■ **TIMBER POST** | **GALVANISED**

! Use 22mm Auger
See pg. 135

FASTAFIT

BOLT-THRU TIMBER POST HINGE SET




FG2

BUY - 10+ | 25+ | 50+ | 100+


GATE - 25NB

POST - <400mm

BOX QTY - 5



Non-tapered. Extra Secure.
Longest gudgeon 72mm.



DESIGNED TO SWING LOW

WITHOUT HAVING TO DRILL THE POST HOLE LOW.



REQUIRES ONLY TWO HOLES

- 1 Install the bolt-through gudgeon plate and backing plate. Requires a single hole in the centre of the post.
- 2 Simply lift the gate onto the gudgeon, place the saddle over and tighten the nuts.




Once the gate is on, the hinge can't twist, eliminating the need for the anti-twist bars.

ADJUSTABLE IN & OUT

300mm BOLT LENGTH GIVES EXTRA LENGTH TO ADJUST YOUR GATE FOR THE PERFECT SWING ANGLE.

EXTRA LARGE 50mm Ø WASHERS

ensure the hinge won't pull through the post and prevent sagging.



ACME THREAD STRONGER AND WIDER

The deeper thread allows the nut to travel **TWICE AS FAST!**

The trapezoidal shape gives it strength, meaning stripping is eliminated. **NO BINDING NO CLOGGING.**



“The best thing I think I've actually used is those FG2 hinges. Yeah, that's a game changer, that's quick (ACME thread). It saves a lot of time, especially when you're a one-man band. It's a lot easier.”

JACK EVANS | TAS CONTRACTOR


HINGES

TIMBER POST | GALVANISED

! Use 18mm Auger
See pg. 135


Available with 350mm thread

Available with 450mm thread



16mm

Standard thread.
Pine posts and
smaller timber posts.



vs.



Non-tapered. Extra Secure.
Longest gudgeon 72mm.

BOLT-THRU TIMBER POST HINGE SETS



FG3E27525

BUY - 10+ | 25+ | 50+ | 100+

GATE - 25NB

POST - <225mm

THREAD - 16mm

BOX QTY - 5



FG3E40025

BUY - 10+ | 25+ | 50+ | 100+

GATE - 25NB

POST - <350mm

THREAD - 16mm

BOX QTY - 5



EXTRA LONG 100MM ANTI-TWIST ARMS

For increased gate adjustment!

EXTRA LARGE 50mm Ø WASHERS

Helps prevent gate sag as timber posts age.
Hinge won't pull through the post.

ADJUSTABLE KEEPER PLATE


Fitted on the **top strap** to keep your gate locked in
nice and tight without any **unwanted movement**.

TIMBER POST | GALVANISED

! Use 22mm Auger
See pg. 135

Available with 450mm thread

Available with 500mm thread



**25% MORE STEEL
THAN ALTERNATIVES.**
Heavy duty for large
gates and livestock.

BOLT-THRU TIMBER POST HINGE SETS



FG340025

BUY - 10+ | 25+ | 50+ | 100+

GATE - 25NB

POST - <350mm

THREAD - 20mm

BOX QTY - 5



FG345032

BUY - 10+ | 25+ | 50+ | 100+

GATE - 32NB

POST - <400mm

THREAD - 20mm

BOX QTY - 5



**SCAN
TO
WATCH**

BOLT-THRU TIMBER POST

75MM LOWER THAN A STANDARD HINGE

(EAST-WEST) DESIGN ALLOWS THE GATE TO SWING VERY LOW

TIMBER POST | GALVANISED

! Use 18mm Auger
See pg. 135

LOW LOC

**BOLT-THRU LOW-LOC TIMBER
POST HINGE SET**



FG3LL400


BUY - 10+ | 25+ | 50+ | 100+

GATE - 25NB

POST - <350mm

THREAD - 16mm

BOX QTY - 5



LESS SAG
50mm
WASHERS



INCREASED
ADJUSTMENT
EXTRA-LONG
ANTI-TWIST ARM



vs.



Non-tapered. Extra Secure.

Longest gudgeon 72mm.

SCAN
TO
WATCH





“What I love about Rotech is the products are simple, easy and quick to install which allows me to move through jobs quicker and be able to save the customer some money on labour. I would and do highly recommend Rotech a range to others on the regular.”

A & M RURAL CONTRACTING | UPPER ORARA, NSW

FITS ALL TIMBER GATES WITH OVER 180° OPENING ANGLE




SCAN
TO
WATCH

TIMBER POST | **GALVANISED**

! Use 22mm Auger
See pg. 135

450mm



TIMBER GATE STRAP AND GUDGEON HINGE



FG7450

BUY - 6+ | 12+ | 24+ | 60+

GATE - Timber gate | POST - <410mm | THREAD - 20mm

BOX QTY - 5

**HEAVY DUTY 20MM
THICK THREAD =
25% MORE STEEL**

**SUITABLE FOR GATES
UP TO 800KG.**




Adjustable once installed
Fits posts up to 410mm.



Extra Large 50mmØ washers
Hinge won't pull through the post.
The won't gate sag as the post ages.





“We found your hinges significantly stronger than alternatives. They have higher quality welds and a thicker gal coating. They are the most heavy-duty strap hinge!”

DANNY HOOKE | MARY VALLEY TIMBER, QLD

AUSTRALIA'S MOST POPULAR HINGE! OVER 100,000 IN USE!

■ STEEL POST | GALVANISED

! Use 19mm Socket
See pg. 136

BOLT-ON ADJUSTABLE ROUND POST HINGE SET



FG6080

BUY - 10+ | 25+ | 50+ | 100+
GATE - 25NB
POST - 80NB
BOX QTY - 5



FG6150

BUY - 10+ | 25+ | 50+ | 100+
GATE - 25NB
POST - 150NB
BOX QTY - 5



FG6100

BUY - 10+ | 25+ | 50+ | 100+
GATE - 25NB
POST - 100NB
BOX QTY - 5



FG610032

BUY - 10+ | 25+ | 50+ | 100+
GATE - 32NB
POST - 100NB
BOX QTY - 5




19MM NUT
SUITS ROTECH
SOCKET



vs.



Non-tapered. Extra Secure.
Longest gudgeon 72mm.



LOCKABLE WASHER

Locks the gudgeon pin into place, ensuring the gate won't sag over time.

SIMPLE TO INSTALL.

NO WELDING, NO DRILLING, NO SCREWING.

All you need is a 19mm shifter.

Adjust, turn around, move up or down, take off, anytime!



SCAN
TO
WATCH



RATED FOR UP TO 20FT


STRONG

6mm hot rolled steel 20% extra body strength.
Long nut on the bottom of the hinge giving twice the holding power.
8.8 grade M12 nuts – Anti-strip

ANTI BRUISE


The interlocking design of the FG6 is smooth, with no protrusions to cause damage to your valuable stock.

NO MORE DRAGGING GATES!



ADJUSTABLE

The pin can be adjusted and locked in 1 of 3 pre-set locations with the lockable washer.
**50mm of horizontal pin adjustment
= 140mm of vertical movement at gate end (12ft).**



“The hinges are so user-friendly when installing and re-straightening the gate after it has been hit. Also very quick and easy to remove gates if need be.”

PAT CUMMINS | NSW



“Have swung 6-metre gates off these with great success. Now my preferred gate hardware.”

JOHN DUNKLEY | FORBES, NSW




HINGES

■ ANY POST | GALVANISED



COMPACT &
SIMPLE
PATENTED
3 IN 1 SADDLE



**PRE-PRESSED STUDS.
EASY 1 PERSON INSTALLATION.**

Unique 2 piece design eliminating loose saddle attachment.

More compact more strength and less chance of stock damage from protrusions.

**WELD-ON/SCREW-ON TOP SADDLE
BACKING PLATE HINGE SET**



9 348326 004908

FG11

BUY - 10+ | 25+ | 50+ | 100+

GATE - 25NB

POST - Any size

BOX QTY - 5

**BOLT-ON. SCREW-ON.
WELD-ON.**



■ STEEL POST | ZINC PLATED



HIGHLY SECURE
CAN'T REMOVE
GATE AFTER
INSTALL

WELD-ON U TYPE HINGE SET



9 348326 004144

FG10

BUY - 10+ | 25+ | 50+ | 100+

GATE - 25NB

POST - Any size

BOX QTY - 5

EXTRA SECURE!
**GATES CAN'T BE
REMOVED!**

27MM GUDGEON PIN.

Low profile & anti-bruise.

Affordable, and robust.

“ No straps around the post!
I like that it's very neat and sleek
and it can not be removed ”

COLBY HANN | CDH CONTRACTING SERVICES



MOST VERSATILE WELD-ON HINGE

■ STEEL POST | ZINC PLATED



ANTI-WEAR
WASHER &
SPLIT PIN
INCLUDED



16mm
Smaller gates, trailers,
animal pens

16MM

20mm
All-rounder, suits
standard farm gates

20MM

27mm
Heavy duty, Cattle
yards and heavy duty
applications

27MM

WELD-ON HINGE SET (2 X PIN & SOCKET)



FG16

BUY - 25+ | 50+ | 100+ | 250+

PIN - 16mm

HEIGHT - 95mm

BOX QTY - 25



FG20

BUY - 12+ | 24+ | 48+ | 120+

PIN - 20mm

HEIGHT - 115mm

BOX QTY - 12



FG27

BUY - 6+ | 12+ | 24+ | 60+

PIN - 27mm

HEIGHT - 150mm

BOX QTY - 6

**WASHER MAKES FOR
SMOOTH SWINGING.**



**SPLIT PIN KEEPS
GATE ON.**



PACKED IN PAIRS WITH
ANTI-WEAR WASHER SPLIT PIN

“Your weld-on hinges are perfectly level everytime! Unlike alternatives where I get up to 20mm sag in the gate.”

JEREMEY TAMINI | JRT RURAL

CONCRETE POST | GALVANISED


! Use 19mm Socket
See pg. 136



19MM NUT
SUITS ROTTECH
SOCKET



VERSATILE -
SUITS ALL
PRE-FABRICATED
POSTS



300mm bolt length
Extra length to adjust your gate.

BOLT-THRU CONCRETE POST HINGE SET



FG9

BUY - 10+ | 25+ | 50+ | 100+

GATE - 25NB

POST - <250mm

BOX QTY - 5

XL 50mmØ washers

Prevent the gate sagging or the hinge pulling through.

**100% STEEL
FIREPROOF!**



LONGEST GUDGEON - 72MM
100% Steel



KEEPER PLATE

Fitted on the **top strap** to keep your gate locked in.