



- 
- 
- 106** **WELD-ON HINGES**
 - 107** **BULLET HINGES**
 - 108** **BALL BEARING HINGES**
 - 109** **ANTI-LOOSE LATCHES
OVER-CENTRE LATCHES**
 - 110** **SPRING BOLTS**
 - 112** **CAM LATCHES**
 - 114** **T HANDLE CAM LATCH**
 - 115** **STRIKER PLATES**
 - 116** **PANEL CLIPS**
 - 118** **WELD-ON CHAIN CATCHES**
 - 119** **SHEEP YARD PANEL CLIP
GATE CASTOR WHEEL**

STOCKYARD FITTINGS

■ STEEL POST | ZINC PLATED

WELD-ON HINGES



WOH12

BUY - 50+ | 100+ | 200+ | 500+

PIN Ø - 12mm

HEIGHT - 75mm

BOX QTY - 50



WOH20

BUY - 50+ | 100+ | 200+ | 500+

PIN Ø - 20mm

HEIGHT - 115mm

BOX QTY - 24



WOH16

BUY - 50+ | 100+ | 200+ | 500+

PIN Ø - 16mm

HEIGHT - 95mm

BOX QTY - 50



WOH27

BUY - 50+ | 100+ | 200+ | 500+

PIN Ø - 27mm

HEIGHT - 150mm

BOX QTY - 12



ANTI-WARE
WASHER &
SPLIT PIN
INCLUDED



12 - 16mm

Smaller gates, trailers,
animal pens

20mm

All-rounder, suits
standard farm gates

27mm

Heavy duty – Cattle yards
and heavy duty gates

12 -
16MM

20MM

27MM



■ STEEL POST | ZINC PLATED

BULLET HINGES - BRASS PIN



BHP080

BUY - 12+ | 24+ | 48+ | 120+

PIN Ø - 8mm

LENGTH - 80mm

NIPPLE GREASE - No

BOX QTY - 10



BHP080

BUY - 12+ | 24+ | 48+ | 120+

PIN Ø - 8mm

LENGTH - 80mm

NIPPLE GREASE - Yes

BOX QTY - 10



BHBP100

BUY - 12+ | 24+ | 48+ | 120+

PIN Ø - 10mm

LENGTH - 100mm

NIPPLE GREASE - No

BOX QTY - 10



BHBP100

BUY - 12+ | 24+ | 48+ | 120+

PIN Ø - 10mm

LENGTH - 100mm

NIPPLE GREASE - Yes


BOX QTY - 10



LOW PROFILE



IDEAL FOR
TOOLBOXES



■ ANY POST | ZINC PLATED



LOW PROFILE



VERSATILE WELD
OR BOLT ON



BALL BEARING HINGES (PAIR)



9 348326 002263

BBHBL

BUY - 12+ | 24+ | 48+ | 120+

SIZE (W x H) - 105 x 85mm

POSITION - Left

TYPE - Bolt-on

BOX QTY - 10



9 348326 002256

BBHBR

BUY - 12+ | 24+ | 48+ | 120+


SIZE (W x H) - 105 x 85mm

POSITION - Right

TYPE - Bolt-on

BOX QTY - 10

SCREW ONTO TIMBER OR STEEL



SECURE MADE EASY!

ZINC PLATED



ANTI-LOOSE LATCHES



ALWL08

BUY - 1 | 10+ | 20+

PIN Ø - 8mm

OPEN LENGTH - 67mm

LATCH WIDTH - 14mm

BOX QTY - 10



ALWL12

BUY - 1 | 10+ | 20+

PIN Ø - 12mm

OPEN LENGTH - 91mm

LATCH WIDTH - 20mm

BOX QTY - 10



IDEAL FOR
UTE TRAYS



SECURE
PAD LOCKABLE

ZINC PLATED



OVER-CENTRE LATCHES



OCLS

BUY - 1 | 10+ | 20+

SIZE - Small

MIN-MAX LENGTH - 83 - 90mm

BOX QTY - 10



OCLM

BUY - 1 | 10+ | 20+

SIZE - Medium

MIN-MAX LENGTH - 106 - 122mm

BOX QTY - 10



OCLL

BUY - 1 | 10+ | 20+

SIZE - Large

MIN-MAX LENGTH -

145 - 165mm

BOX QTY - 10



VERSATILE WELD
OR SCREW ON



SECURE
PAD LOCKABLE



STOCKYARD FITTINGS

■ STEEL POST | ZINC PLATED

SPRING BOLTS



9 348326 000436

LDSB9.5

BUY - 1 | 10+ | 20+ | 50+

PIN Ø - 9.5mm

PIN STICK OUT - 30mm

TOTAL LENGTH - 130mm

POSITION - Left or right

BOX QTY - 10



9 348326 000443

LDSB12

BUY - 1 | 10+ | 20+ | 50+

PIN Ø - 12mm

PIN STICK OUT - 28mm

TOTAL LENGTH - 166mm

POSITION - Left or right



BOX QTY - 10



VERSATILE AND
COMPACT



EASY TO INSTALL



EASY GRAB HANDLE





“What’s most important for us is consistency between products, because we use robots which have low tolerance for inaccuracies. Rotech’s fittings have been very consistent and reliable.”

MAL NEWING | THOMPSON LONGHORN

STOCKYARD FITTINGS

■ STEEL POST | ZINC PLATED

14MM CAM LATCH



9 348326 000306

ECL14

BUY - 1 | 10+ | 20+ | 100+

PIN STICK OUT - 100mm


OVERALL LENGTH - 250mm

HANDLE - Enclosed

POSITION - Left or right

BOX QTY - 10

Solid hold handle



MULTI-
POSITIONAL
LEFT OR RIGHT



LONG LIFE. STAINLESS STEEL SPRINGS



PAIR WITH STRIKER

Spring loaded pin pushes into hole



FULLY ENCLOSE YOUR LATCH

Perfect for cattle or sheep yards. Clean and neat.

2 PIN LENGTHS

COMPACT FIT OR A LONG BOLT TO TRAVEL THROUGH YOUR GATE.

■ STEEL POST | ZINC PLATED

20MM CAM LATCHES



CL20S

BUY - 1 | 10+ | 20+ | 100+
PIN STICK OUT - 50mm
OVERALL LENGTH - 220mm
HANDLE - Open
POSITION - Left or right
BOX QTY - 10



CL20L

BUY - 1 | 10+ | 20+ | 100+
PIN STICK OUT - 100mm
OVERALL LENGTH - 270mm
HANDLE - Open
POSITION - Left or right
BOX QTY - 10




ECL20L

BUY - 1 | 10+ | 20+ | 100+
PIN STICK OUT - 100mm
OVERALL LENGTH - 270mm
HANDLE - Enclosed
POSITION - Left or right
BOX QTY - 10




MULTI-
POSITIONAL
LEFT OR RIGHT



220mm

Available with an open or enclosed handle



270mm



STAINLESS STEEL SPRINGS

HEAVY DUTY 32MM X 10MM
LATCH BODIES

PRECISION TOLERANCE 1020 GRADE
BRIGHT BAR PINS AND HANDLES

AUSTRALIAS MOST HEAVY DUTY!

■ STEEL POST | ZINC PLATED

T HANDLE CAM LATCH



9 348326 006469

TCL25

BUY - 1 | 10+ | 20+ | 100+

PIN STICK OUT - 50mm

OVERALL LENGTH - 300mm

HANDLE - 25mm T Handle

POSITION - Multi-Positional

BOX QTY - 10



8MM BASE
EXTRA THICK NO WRAPPING



USE A STRIKER PLATE TO AVOID LATCH WEARING THROUGH

■ STEEL POST | ZINC PLATED

STRIKER PLATES



SP14

BUY - 1 | 10+ | 20+ | 100+
LATCH - 14mm
SIZE (W x H) - 78 x 50mm
DIRECTION - Single
BOX QTY - 10



SP20

BUY - 1 | 10+ | 20+ | 100+
LATCH - 20mm
SIZE (W x H) - 105 x 65mm
DIRECTION - Single
BOX QTY - 10



SP25

BUY - 1 | 10+ | 20+ | 100+
LATCH - 25mm
SIZE (W x H) - 100 x 75mm
DIRECTION - Single
BOX QTY - 10

20MM ANTI-RATTLE STRIKER PLATE



ARS20

BUY - 1 | 10+ | 20+
LATCH - 20mm
SIZE (W x H) - 70 x 65mm
DIRECTION - Single
BOX QTY - 10



DSSP14

BUY - 1 | 10+ | 20+ | 100+
LATCH - 14mm
SIZE (W x H) - 68 x 50mm
DIRECTION - Double
BOX QTY - 10



DSSP20

BUY - 1 | 10+ | 20+ | 100+
LATCH - 20mm
SIZE (W x H) - 75 x 75mm
DIRECTION - Double
BOX QTY - 10



HEAVY DUTY
SINGLE DIRECTION

Gate to operate one way



Gate to operate two ways



6MM THICK

HEAVIER - STRONGER THAN ALTERNATIVE 40MM CLIPS

■ STEEL POST | ZINC PLATED

! Use with 16mm
Drop Pin
See pg. 117

PANEL CLIPS



9 348326 000528

CP40ZP

BUY - 1 | 50+ | 100+ | 1000+

WIDTH - 40mm

MATERIAL - 6mm

PIN Ø - 16mm

BOX QTY - 50



9 348326 000580

CP50ZP

BUY - 1 | 50+ | 100+ | 1000+

WIDTH - 50mm

MATERIAL - 5mm

PIN Ø - 16mm

BOX QTY - 50



9 348326 000535

LP40ZP

BUY - x1 | 50+ | 100+ | 1000+

WIDTH - 40mm

MATERIAL - 6mm

PIN Ø - 16mm

BOX QTY - 50



9 348326 000597

LP50ZP

BUY - x1 | 50+ | 100+ | 1000+

WIDTH - 50mm

MATERIAL - 5mm

PIN Ø - 16mm


BOX QTY - 50



C SHAPED CLIP



L SHAPED CLIP



■ STEEL POST | ZINC PLATED



PANEL FOOT PLATE



FP50ZP

BUY - 1 | 50+ | 100+ | 1000+

WIDTH - 50mm | HEIGHT - 110mm |

MATERIAL - 5mm | PIN Ø - 16mm

BOX QTY - 50

■ STEEL POST | GALVANISED



Use with Panel Clip
See pg. 116

DROP PIN



DP16200G

BUY - 1 | 50+ | 100+ | 1000+

PIN Ø - 16mm | LENGTH - 200mm

BOX QTY - 50

■ STEEL POST | ZINC PLATED



**SECURE
ENCLOSED PIN
NEVER LOSE IT!**

PANEL CLIP AND YARD PIN



PCYC40

BUY - x1 | 25+ | 50+ | 500+

WIDTH - 40mm

HEIGHT - 100mm

PIN Ø - 12mm

LENGTH - 175mm

BOX QTY - 50



6MM THICK STEEL.

More heavy duty.
Industry standard is 5mm.

**BIGGER
BOTTOM HOLE.**

More movement and
adjustment for slopes.

PADLOCKABLE! FAST, EASY & SECURE!

■ STEEL POST | ZINC PLATED

WELD-ON CHAIN CATCHES



CCLD6ZP

BUY - 1 | 25+ | 50+ | 250+

CHAIN SIZE - 6mm

HEIGHT - 50mm

WIDTH - 65mm

THICKNESS - 5mm

BOX QTY - 25



CCHD8ZP

BUY - 1 | 25+ | 50+ | 250+

CHAIN SIZE - 8mm

HEIGHT - 75mm

WIDTH - 100mm

THICKNESS - 8mm

BOX QTY - 25



Registered Design



USER
FRIENDLY



SECURE

STANDARD CATCHES NEED THE CHAIN TWISTED IN PLACE **THIS IS FIDDLY!**

1

Chain **DROPS INSTANTLY** and locks without any twisting and fiddling .

2

Chain is **SECURE** and **STOCK PROOF** once it's dropped into position.



STOCKYARD FITTINGS

■ STEEL POST | ZINC PLATED

SHEEP YARD PANEL CLIP



SYP30RZP

BUY - 1 | 50+ | 100+ | 1000+

WIDTH - 30mm

HEIGHT - 12mm

MATERIAL - 6mm

PIN Ø - 12mm

BOX QTY - 100



Use with M12 Bolts

■ STEEL POST | ACETAL

SLIDING GATE CASTOR WHEEL



SGC75

BUY - 1 | 50+ | 100+ | 500+

WHEEL Ø - 75mm

AXLE Ø - 12.5mm

MATERIAL - Acetal

BOX QTY - 50



AUSTRALIAN
MADE



UV
STABILISED

**LASTING
PROTECTION
FROM THE SUN!**

MADE FROM ACETAL

**STRONGEST AND STIFFEST
THERMOPLASTIC AVAILABLE.**

**HIGHLY IMPACT RESISTANT
- CAN HANDLE TRANSPORTATION
AND HEAVY USAGE.**

“We haven't had one fail!
We shopped around for the most
durable wheel and your is it.”

JOSEPH CUNNINGHAM |

